# SAFETY DATA SHEET

**Issue Date** 26-May-2015 **Revision Date** 27-May-2015 **Version** 1

# 1. IDENTIFICATION

Product identifier

Product Name Deco Matte

Other means of identification

Product Code Synonyms

Recommended use of the chemical and restrictions on use

Recommended Use Concrete Sealer Additive.

Uses advised against No Data

Details of the supplier of the safety data sheet

**Distributor Address** 

Deco Crete Supply 133 North Kohler Road Orrville, OH 44667

Emergency telephone number

Company Phone Number (330) 682-5678

24 Hour Emergency Phone Number 800-535-5053 (United States & Canada), International Call: 1-352-323-3500

# 2. HAZARDS IDENTIFICATION

#### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 5
Acute toxicity - Inhalation (Vapors)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 2
Flammable liquids Category 2. Hazardous to the Aquatic Environmer	nt - Long Term (Chronic) Hazard Category 2

# Label elements

# **Emergency Overview**

# Danger!

#### Hazard statements

Highly flammable

Suspected of Causing Cancer

Toxic to Aquatic Life with Long Lasting Effects

Causes Serious Eye Irritation

May Cause Respiratory Irritation

May Cause Drowsiness or Dizziness

May be Harmful if Swallowed

May be Harmful if Swallowed and Enters Airways

Causes Skin Irritation

\_\_\_\_\_



Appearance Transparent Liquid

Physical state liquid

Odor Solvent

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/.?/equipment

Use only non-sparking tools

Take action to prevent static discharges

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Avoid release to the environment

Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

If skin irritation occurs: Get medical advice or attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contacts, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

IF SWALLOWED: Immediately call a POISON CONTROL CENTER/doctor

Do NOT induce vomiting.

Take off contaminated clothing and wash before reuse

In case of fire use, "alcohol resistant" foam, dry chemical, halon or carbon dioxide to extinguish.

Collect spillage

# **Precautionary Statements - Storage**

Store in well-ventilated place. Keep Cool. Keep container tightly closed. Store locked up.

# **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local/regional/national regulations.

#### Hazards not otherwise classified (HNOC)

Repeated exposure may cause skin dryness or cracking

### Other Information

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
tert-Butyl acetate	540-88-5	30 - 60	*
Dimethyl carbonate	616-38-6	30 - 60	*

Silicon Dioxide (Chemically Prepared)	112926-00-8	10 - 30	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

#### Description of first aid measures

General advice Move out of the dangerous area. Consult a physician. Provide this Safety Data Sheet to the

doctor in attendance.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash off immediately with soap and plenty of water. If skin irritation

persists, call a physician.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If breathing is irregular or stopped, administer artificial respiration. If symptoms

persist, call a physician.

Ingestion IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT

induce vomiting. Never give anything by mouth to an unconscious person.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** Eye, Skin, and Respiratory Irritation.

#### Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically. For additional information, see Safety Data Sheet.

### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Dry Chemical, Alcohol Resistant Foam, Halon or Carbon Dioxide.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

In a fire or if heated a pressure increase may occur and the container may burst.

Hazardous combustion products Carbon dioxide (CO2). Carbon monoxide.

#### **Explosion data**

Sensitivity to Mechanical Impact Not available.

**Sensitivity to Static Discharge** May be ignited by friction, heat, sparks or flames.

# Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective suit.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal precautions

Use personal protective equipment as required. P261 - Avoid breathing

dust/fume/gas/mist/vapors/spray. Ensure adequate ventilation, especially in confined areas.

Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors

accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not allow product to enter any drains

or waterways.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so. Dike to collect large liquid spills.

Methods for cleaning up

Use a non-combustible material like vermiculite or sand to soak up the product and place

into a container for later disposal. Use clean non-sparking tools to collect absorbed

material. Dispose according to local regulations.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Do not handle until all safety precautions have been read and understood. Avoid contact

with skin and eyes. Avoidbreathing dust/fume/gas/mist/vapours/spray. Keep away from heat, hot surfaces, sparks, open flames and otherignition sources. No smoking. Ground and bond container and receiving equipment. Take measures to prevent thebuildup of electrostatic charge. Use non-sparking tools. Wash hands and skin thoroughly after handling. Use onlyoutdoors or in a well-ventilated area. Wear protective gloves/protective

clothing/eye protection/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Containers which are

opened must be carefully resealed and kept upright to prevent leakage.

**Incompatible materials**Keep away from strong oxidizing agents, strong alkalis, and strong acids.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** Dimethyl Carbonate - CAS 616-38-6: None Established. tert-Butyl acetate - CAS 540-88-5:

TWA 200 ppm ACGIH, TWA 200 ppm OSHA PEL.

= 00 pp = 00 pp 00 ii = =				
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
tert-Butyl acetate	TWA: 200 ppm	TWA: 200 ppm	IDLH: 1500 ppm	
540-88-5		TWA: 950 mg/m <sup>3</sup>	TWA: 200 ppm	
		(vacated) TWA: 200 ppm	TWA: 950 mg/m <sup>3</sup>	
		(vacated) TWA: 950 mg/m <sup>3</sup>	-	
Silicon Dioxide (Chemically	-	(vacated) TWA: 6 mg/m <sup>3</sup>	-	
Prepared)		TWA: 20 mppcf		
112926-00-8		: (80)/(% SiO2) mg/m <sup>3</sup> TWA		

### **Appropriate engineering controls**

Engineering Controls General/Local Ventilation Recommended.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact. Wear chemical resistant gloves at minimum. Wash

skin immediately upon contact. Wash hands at mealtime and end of shift.

**Respiratory protection**Use respiratory protection unless adequate local exhaust ventilation is provided or

exposure assessment demonstrates that exposures are within recommended exposure guidelines. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29)

CC (closed cup)

CFR 1910.134) and use NIOSH/MSHA approved respirators.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice. Wash hands before

and after breaks and at the end of the work day.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state liquid

Appearance Transparent Liquid Odor Solvent

Color Transparent Liquid Odor threshold No data available

Property Values Remarks • Method

pH Not Relevant
Melting point / freezing point Not Available

Boiling point / boiling range 149 °C

Flash point 18.3 °C (65 °F)
Evaporation rate Not Available

Flammability (solid, gas)

Flammability Limit in Air

Upper flammability limit: 7.0% Lower flammability limit: 1.0%

Vapor pressureNot AvailableVapor densityNot Available

Relative density
Water solubility
Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity

1.056 @ 70 Degrees F
Insoluble in water
Not Available
Not Available
Not Available
Not Available
Not Available

Autoignition temperatureNot AvailableDecomposition temperatureNot AvailableKinematic viscosityNot AvailableDynamic viscosityNot AvailableExplosive propertiesNot AvailableOxidizing propertiesNot Available

**Other Information** 

Softening point
Molecular weight
VOC Content (%)
Density
Not Available
Not Available
Not Available
Not Available
Not Available

# 10. STABILITY AND REACTIVITY

Reactivity

Not Available

**Chemical stability** 

Stable.

Possibility of Hazardous Reactions

Hazardous polymerization does not occur.

**Conditions to avoid** 

Heat, flames and sparks.

**Incompatible materials** 

Keep away from strong oxidizing agents, strong alkalis, and strong acids.

# **Hazardous Decomposition Products**

Hazardous decomposition products formed under fire conditions, carbon oxides.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

#### **Product Information**

**Inhalation** Direct contact and vapor inhalation.

Eye contact Direct contact.

**Skin contact** Direct contact.

**Ingestion** Direct contact.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
tert-Butyl acetate 540-88-5	-	-	> 2230 mg/m³ (Rat ) 4 h
Dimethyl carbonate 616-38-6	= 13000 mg/kg (Rat)	> 5 g/kg (Rabbit)	= 140 mg/L (Rat) 4 h

### Information on toxicological effects

Symptoms May cause drowsiness or dizziness if inhaled. May cause respiratory irritation. Causes

serious eye irritation. Causes skin irritation.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Causes severe burns. Irritating to skin.

**Serious eye damage/eye irritation** Irritating to eyes. Risk of serious damage to eyes. **Irritation** Irritating to eyes, respiratory system and skin.

SensitizationNo data available.Germ cell mutagenicityNo data available.CarcinogenicityTransparent Liquid.

Chemical Name	ACGIH	IARC	NTP	OSHA
Silicon Dioxide (Chemically	-	Group 3	-	-
Prepared)		•		
112926-00-8				

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
Not Available.
Not Available.
Not Available.

# Numerical measures of toxicity - Product Information

# 12. ECOLOGICAL INFORMATION

Material is expected to be harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

### **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
tert-Butyl acetate	=	296 - 362: 96 h Pimephales	-
540-88-5		promelas mg/L LC50 flow-through	

#### Persistence and degradability

No data available.

#### **Bioaccumulation**

No data available.

Chemical Name	Partition coefficient
tert-Butyl acetate	1.38
540-88-5	

Other adverse effects No data available.

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes Under RCRA 40 CFR 261 this material is a hazardous waste. Dispose of in accordance

with all federal, state, and local regulations. If uncertain of local requirements, contact the proper environmental authorities for information on waste disposal in your area. Contact a

licensed professional waste disposal service to dispose of this material.

**Contaminated packaging** Dispose of in accordance with federal, state and local regulations.

# 14. TRANSPORT INFORMATION

**DOT** UN1263, PAINT RELATED MATERIAL, 3, II

Special Provisions Can be shipped as ORM-D Consumer Commodity via Ground if packaged in single

containers of less than 1 Liter.

Marine pollutant Material is expected to be harmful to aquatic organisms. May cause long-term adverse

effects in the aquatic environment.

<u>IATA</u> UN1263, PAINT RELATED MATERIAL, 3, II

<u>IMDG</u> UN1263, PAINT RELATED MATERIAL, 3, II

# **15. REGULATORY INFORMATION**

**International Inventories** 

TSCA Complies DSL/NDSL Complies

**EINECS/ELINCS** Does not comply

ENCS Complies
IECSC Complies
KECL Complies
PICCS Complies
AICS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazardYesChronic Health HazardYesFire hazardYesSudden release of pressure hazardYesReactive HazardNo

# CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
tert-Butyl acetate 540-88-5	-	-	-	X

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
tert-Butyl acetate	5000 lb	-	RQ 5000 lb final RQ
540-88-5			RQ 2270 kg final RQ

# **US State Regulations**

#### California Proposition 65

This product contains chemicals known to the state of California to cause birth defects or other reproductive harm

#### U.S. State Right-to-Know Regulations

#### U.S. EPA Label Information

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 2 Flammability 3 Instability 0 Physical and Chemical

Properties -

Health hazards 2 Flammability 3 Physical hazards 0 Personal protection X

Issue Date 26-May-2015
Revision Date 27-May-2015
Revision Note

No data available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**