# Safety Data Sheet

**1. IDENTIFICATION Product Name** DECO-CRETE DURACAST FACECOAT Other means of identification **DECO-005** Recommended use of the chemical and restrictions on use For industrial use. Details of the supplier of the safety data sheet Supplier Address Emergency telephone number **Emergency Telephone** INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America) 2. HAZARDS IDENTIFICATION Appearance Granular powder Physical state Solid Odor According to product specification Classification Carcinogenicity Specific target organ toxicity (repeated exposure) Category 1A Category 1

Revision Date: 04-Mar-2022

Signal Word

# Danger

#### Hazard statements

May cause cancer Causes damage to organs through prolonged or repeated exposure



#### **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product

Version 1

Product identifier

Issue Date: 03-Mar-2022

SDS #

**Recommended Use** 

DC Products 110 E. Main Street Dalton, OH 44647 Phone: 330-682-5678

#### Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

#### **Precautionary Statements - Storage**

Store locked up

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Silica, Quartz	14808-60-7	>40
Portland cement	65997-15-1	>40
Glass Beads	65997-17-3	5-10
Fly ash	68131-74-8	5-10
Formaldehyde	50-00-0	<0.1

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### **4. FIRST AID MEASURES**

#### Description of first aid measures

General Advice	Provide this SDS to medical personnel for treatment.	
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes.	
Inhalation	Remove to fresh air.	
Ingestion	Clean mouth with water and drink afterwards plenty of water.	
Most important symptoms and effects, both acute and delayed		
Symptoms	May be harmful if swallowed.	
Indication of any immediate medical attention and special treatment needed		
Notes to Physician	Treat symptomatically.	
Most important symptoms and effe Symptoms Indication of any immediate medica	And the sector of the sector o	

## **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Not determined.

Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES			
Personal precautions, protective e	equipment and emergency procedures		
Personal Precautions	Use personal protective equipment as required.		
Environmental precautions			
Environmental precautions	See Section 12 for additional Ecological Information.		
Methods and material for containn	nent and cleaning up		
Methods for Containment	Prevent further leakage or spillage if safe to do so.		
Methods for Clean-Up	Keep in suitable, closed containers for disposal.		
7. HANDLING AND STORAGE			
	7. HANDLING AND STORAGE		
Precautions for safe handling	7. HANDLING AND STORAGE		
<u>Precautions for safe handling</u> Advice on Safe Handling	7. HANDLING AND STORAGE Handle in accordance with good industrial hygiene and safety practice. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing and eye/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product.		
	Handle in accordance with good industrial hygiene and safety practice. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing and eye/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product.		
Advice on Safe Handling	Handle in accordance with good industrial hygiene and safety practice. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing and eye/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product.		

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Silica, Quartz 14808-60-7	TWA: 0.025 mg/m <sup>3</sup> respirable particulate matter	TWA: 50 µg/m <sup>3</sup> (vacated) TWA: 0.1 mg/m <sup>3</sup> respirable dust : (250)/(%SiO2 + 5) mppcf TWA respirable fraction : (10)/(%SiO2 + 2) mg/m <sup>3</sup> TWA respirable fraction	IDLH: 50 mg/m <sup>3</sup> respirable dust TWA: 0.05 mg/m <sup>3</sup> respirable dust
Portland cement 65997-15-1	TWA: 1 mg/m <sup>3</sup> particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter		IDLH: 5000 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Glass Beads 65997-17-3	TWA: 1 fiber/cm3 respirable fibers: length >5 μm, aspect ratio >=3:1, as determined by the membrane filter method at 400- 450X magnification [4-mm	-	-

#### DECO-005 - DECO-CRETE DURACAST FACECOAT

	objective], using phase-contrast illumination TWA: 5 mg/m <sup>3</sup> inhalable particulate matter		
Fly ash 68131-74-8	TWA: 1 mg/m <sup>3</sup> Cu dust and mist	-	IDLH: 100 mg/m <sup>3</sup> Cu dust and mist IDLH: 10 mg/m <sup>3</sup> Ni Ceiling: 0.05 mg/m <sup>3</sup> V dust and fume 15 min TWA: 1 mg/m <sup>3</sup> Cu dust and mist TWA: 0.015 mg/m <sup>3</sup> except Nickel carbonyl Ni
Formaldehyde 50-00-0	STEL: 0.3 ppm TWA: 0.1 ppm	TWA: 0.75 ppm (vacated) TWA: 3 ppm unless specified in 1910.1048 (vacated) STEL: 10 ppm 30 min unless specified in 1910.1048 (vacated) Ceiling: 5 ppm unless specified in 1910.1048 STEL: 2 ppm see 29 CFR 1910.1048	IDLH: 20 ppm Ceiling: 0.1 ppm 15 min TWA: 0.016 ppm

### Appropriate engineering controls

Engineering Controls	Apply technical measures to comply with the occupational exposure limits.

### Individual protection measures, such as personal protective equipment

Eye/Face Protection	Refer to 29 CFR 1910.133 for eye and face protection regulations.
Skin and Body Protection	Refer to 29 CFR 1910.138 for appropriate skin and body protection.
Respiratory Protection	Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Appearance	Solid Granular powder	Odor	According to product specification
Color	Gray	Odor Threshold	Not determined
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation Rate Flammability (Solid, Gas) Flammability Limit in Air Upper flammability or explosive limits Lower flammability or explosive limits Vapor Pressure	Values_         Not determined         Not determined	<u>Remarks • Method</u>	
Vapor Density Relative Density Water Solubility	Not determined Not determined Not determined		
Solubility in other solvents Partition Coefficient	Not determined Not determined		

#### Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties

Not determined Not determined Not determined Not determined Not determined

## **10. STABILITY AND REACTIVITY**

#### Reactivity

Not reactive under normal conditions.

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### Conditions to Avoid

Keep out of reach of children.

#### **Incompatible materials**

None known based on information supplied.

#### Hazardous decomposition products

None known based on information supplied.

#### **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	
Eye Contact	Avoid contact with eyes.
Skin Contact	Avoid contact with skin.
Inhalation	Do not inhale.
Ingestion	May be harmful if swallowed.

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Fly ash	> 2000 mg/kg (Rat)	-	-
68131-74-8			
Formaldehyde	= 100 mg/kg (Rat)	> 2000 mg/kg (Rat)	= 0.578 mg/L (Rat)4 h
50-00-0			

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Please see section 4 of this SDS for symptoms.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested. Silica (quartz) is a possible carcinogen when it appears as a respirable dust.

Chemical name	ACGIH	IARC	NTP	OSHA
Silica, Quartz	A2	Group 1	Known	Х
14808-60-7				
Glass Beads		Group 3		
65997-17-3				
Fly ash		Group 1	Known	Х
68131-74-8				
Formaldehyde	A1	Group 1	Known	Х
50-00-0				

Legend

 ACGIH (American Conference of Governmental Industrial Hygienists)

 A1 - Known Human Carcinogen

 A2 - Suspected Human Carcinogen

 IARC (International Agency for Research on Cancer)

 Group 1 - Carcinogenic to Humans

 Group 3 - Not Classifiable as to Carcinogenicity in Humans

 NTP (National Toxicology Program)

 Known - Known Carcinogen

 OSHA (Occupational Safety and Health Administration of the US Department of Labor)

 X - Present

STOT - repeated exposure

Respirable crystalline silica causes damage to organs (lung effects, immune system effects, and kidney effects) through prolonged or repeated exposure.

#### Numerical measures of toxicity

# The following values are calculated based on chapter 3.1 of the GHS document<br/>0ral LD502,002.00 mg/kg

#### **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

#### Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Formaldehyde		0.032 - 0.226: 96 h Oncorhynchus	11.3 - 18: 48 h Daphnia magna
50-00-0		mykiss mL/L LC50 flow-through	mg/L EC50 Static
		100 - 136: 96 h Oncorhynchus	2: 48 h Daphnia magna mg/L LC50
		mykiss mg/L LC50 static	
		22.6 - 25.7: 96 h Pimephales	
		promelas mg/L LC50 flow-through	
		23.2 - 29.7: 96 h Pimephales	
		promelas mg/L LC50 static	
		1510: 96 h Lepomis macrochirus	
		µg/L LC50 static	
		41: 96 h Brachydanio rerio mg/L	
		LC50 static	

#### Persistence/Degradability

Not determined.

#### **Bioaccumulation**

There is no data for this product.

#### <u>Mobility</u>

Chemical name	Partition coefficient
Formaldehyde	0.35
50-00-0	

#### **Other Adverse Effects**

Not determined

# **13. DISPOSAL CONSIDERATIONS**

#### Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### US EPA Waste Number

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	<b>RCRA - U Series Wastes</b>
Formaldehyde	U122	Included in waste streams:		U122
50-00-0		K009, K010, K038, K040,		
		K156, K157		

#### California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Fly ash	Toxic
68131-74-8	Corrosive
Formaldehyde	Toxic
50-00-0	Ignitable

14. TRANSPORT INFORMATION			
<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.		
<u>DOT</u>	Not regulated		
IATA_	Not regulated		
IMDG	Not regulated		

# **15. REGULATORY INFORMATION**

#### International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Silica, Quartz	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Portland cement	Х	ACTIVE	Х	Х		Х	Х		Х
Glass Beads	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Fly ash	Х	ACTIVE	Х	Х		Х	Х	Х	Х
Formaldehyde	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ
50-00-0			RQ 45.4 kg final RQ

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Fly ash - 68131-74-8	68131-74-8	5-10	1.0 0.1
Formaldehyde - 50-00-0	50-00-0	<0.1	0.1

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Fly ash		Х		
Formaldehyde	100 lb			Х

#### US State Regulations

# California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Silica, Quartz - 14808-60-7	Carcinogen
Fly ash - 68131-74-8	Carcinogen
Formaldehyde - 50-00-0	Carcinogen

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Silica, Quartz 14808-60-7	Х	Х	Х
Portland cement 65997-15-1	Х	Х	Х
Fly ash 68131-74-8	Х		Х
Formaldehyde 50-00-0	Х	Х	Х

# **16. OTHER INFORMATION**

<u>NFPA</u> HMIS	Health Hazards Not determined Health Hazards Not determined	Flammability Not determined Flammability Not determined	Instability Not determined Physical hazards Not determined	Special Hazards Not determined Personal Protection Not determined
Issue Date: Revision Date: Revision Note:	03-Mar-2022 04-Mar-2022 New format			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**